

Rao Sahib Mr. T. V. Kasturi Ranga Ayyar.—I cannot give exact details. We had some comprehensive proposals sent by the people and the Panchayat Registrar and all those papers have been forwarded to the Chief Engineer for careful investigation and report.

Mr. A. Sankara Poduval.—Any definite scheme formulated?

Mr. V. K. Aravindaksha Menon.—We have now prepared an estimate for 9 thousand rupees for deepening and improving some of the chals in the locality. That estimate is being now scrutinised in my office and I shall be submitting it to the Government very soon.

Mr. A. Sankara Poduval.—May I know whether the Chief Engineer has visited the locality in this connection?

Mr. V. K. Aravindaksha Menon.—Many times.

Aqueduct in the Aloor Village.

213. Mr. P. Krishna Menon.—Will the Government be pleased to state.—

(1) whether they have not received a petition dated 27th Meenam 1107 requesting the putting up of a permanent aqueduct and the extension of the canal further southwards;

(2) was not the first aqueduct put up washed away by the succeeding flood;

(3) what did the first aqueduct cost the Government;

(4) what was the cost of the repair or renewal if it has been effected after the washing away of the first?

Mr. V. K. Aravindaksha Menon.—(1) Yes.

(2) The posts supporting trough were damaged during the abnormal floods of 1106.

(3) The cost of the whole work including land acquisition, channels, etc., was Rs. 2,149—1—0. Of this, the amount spent for the posts which were damaged was Rs. 455.

(4) The old trough was used with temporary bamboo supports at a cost of Rs. 144.

Mr. P. Krishna Menon.—Has the Government any proposal to so construct the aqueduct as to avoid injury by floods?

Mr. V. K. Aravindaksha Menon.—At present the ayacut served by this aqueduct is about 100 acres. There is a proposal to extend this. If this is done I shall be proposing to Government to make a permanent structure.

Thammanapattu chira (Survey No. 354, Mundathikode Village).

214. Mr. P. Krishna Menon.—Will the Government be pleased to state.—

(1) whether the improvement of the said chira will not supply drinking water for a large number of cattle of the neighbouring villages ;

(2) is there a public water reservoir, within a radius of 6 miles of the said chira for watering cattle ?

Mr. P. V. Raphael.—(1) Yes.

(2) Yes.

Mr. P. Krishna Menon.—(2) What are they please ?

Mr. P. V. Raphael.—There is a tank called Chakarachal about a mile from this chira.

Mr. P. Krishna Menon.—Is that the only one ?

Mr. P. V. Raphael.—That is one. I have not made enquiries whether there are any others.

Request for reduction of ferry charges by the people of Mulavukad.

215. മിസ്റ്റർ കെ. പി. വള്ളോൻ.—മുളവുകാട് വില്ലേജിൽ പെട്ടവർ കടത്തുകാരെ കുറവാക്കി തരണമെന്ന് അപേക്ഷിച്ചും കൊണ്ട് അയച്ചിട്ടുള്ള ഹർജി ഗവണ്മെന്റിന്റെ ഭാഗ്യമായി പെട്ടിട്ടുണ്ടോ; ഉണ്ടെങ്കിൽ ആയതിന് വല്ല നിവാരണവും ഉണ്ടാക്കിയിട്ടുണ്ടോ?

റാവുസാഹിബ് മിസ്റ്റർ ടി. വി. കസ്തൂരികുമാർ.—ഉണ്ട്. കടത്തുകാരെ കുറവു ചെയ്യുവാൻ സാദ്ധ്യമല്ലെന്ന് ഹർജിക്കാർക്ക് മറുപടി കൊടുത്തിട്ടുണ്ട്.

Discharge of a depressed class employee from service.

216. മിസ്റ്റർ കെ. പി. വള്ളോൻ.—എ. കൊച്ചി മുൻസിഫ് കോട്ടിലെ അധ്യക്ഷത ശിപായിയെ ജോലിയിൽ നിന്നും പിരിച്ചുവിടുവാനുള്ള കാരണമെന്തു്;

എ. (a) ടി ശിപായിയെ ജോലിയിൽ ചേർത്ത അവസരത്തിൽ വേറെ വല്ല ശിപായിമാരേയും നിയമിച്ചിട്ടുണ്ടോ;

(b) ഉണ്ടെങ്കിൽ എത്ര ചേരാണം നിയമിക്കപ്പെട്ടതു്;

ബ. (a) ടി യാൻ നോക്കിയിരുന്ന ജോലിയിൽ പകരം വല്ലവരേയും നിയമിച്ചിട്ടുണ്ടോ;

(b) ഉണ്ടെങ്കിൽ ടി യാൻ വല്ല കോടതിയിലും പകരം ജോലി നോക്കിയിട്ടുണ്ടോ;

റ. അധ്യക്ഷത ശിപായിയുടെ കൂടെ നിയമിക്കപ്പെട്ട ഇതരമതസ്ഥന്മാരെ സ്ഥിരപ്പെടുത്തുവാനും അധ്യക്ഷതനെ മാത്രം ഒഴിവാക്കാനുമുണ്ടായ കാരണമെന്തു്